Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	867	(compar\$4 with (signal or bits)) same ((marker or boundary) near5 bits)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OŅ	2007/12/26 14:02
L2	480	(compar\$4 with (signal or bits)) with ((marker or boundary) near5 bits)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/26 14:03
L3 .	16	L2 and ((encod\$4 or invert\$4) same (uncod\$4 or nonencod\$4 or non-encod\$4 or non-encod\$4 or "not" adj1 encod\$4) or uninvert\$4 or noninvert\$4 or non-invert\$4 or un-invert\$4 or "not inverted") same bits)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/26 14:34
L5	2	"6522695".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/12/26 14:24
L6	28	((compar\$4 with signals) and (first adj3 bits) and (second adj3 bits) and ((boundary or marker) near3 bits)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR .	ON	2007/12/26 14:36
S1	5	(Pappalardo.in. or Notarangelo.in.) and (encod\$4 same (uncod\$4 or nonencod\$4 or non-encod\$4 or ("not" adj1 encod\$4)) same bits)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/29 04:04
S2	8060	375/295.ccls. or 375/240.05.ccls. or 375/254.ccls. or 370/476.ccls. or 714/775.ccls. or 341/50.ccls. or 382/242.ccls. or 714/25.ccls. or 714/735.ccls. or 714/775.ccls. or 714/777.ccls. or 714/792.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/28 21:19
S3	38	S2 and (compar\$4 near3 bits) same ((invert\$4 or inversion) with bits)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/28 21:19
S4	38	S2 and ((compar\$4 near3 bits) same ((invert\$4 or inversion) with bits))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/28 21:25
S5	184	((compar\$4 near3 bits) same ((invert\$4 or inversion) with bits) same bus)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/29 04:04

S6	180	S5 not S4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/29 03:56
S7	23	((compar\$4 near3 bits) same ((invert\$4 or inversion) with bits) same (bus with switch\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/29 04:05
S8	18	("4007421" "4020463" "5084891" " 5651015" "5719632" "6269454" "65 04493" "6606728").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/29 03:57
S9	3	S8 and bus	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/29 03:57
S10	2	((uncod\$4 or nonencod\$4 or "non-encoded" or ("not" adj1 encod\$4) or unencod\$4) near4 bits) same (compar\$4 near4 bits) same bus	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR .	ON	2007/05/29 04:05
S11	219	((compar\$4 near3 bits) same ((invert\$4 or inversion) with bits) same ("MSB" or "LSB" or (least adj1 significant) or (most adj1 significant)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR .	ON	2007/05/29 04:07
S12	23	((compar\$4 near3 bits) same ((invert\$4 or inversion) with bits) same ("MSB" or "LSB" or (least adj1 significant) or (most adj1 significant))) same bus	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR .	ON	2007/05/29 04:09
S13	184	((compar\$4 near3 bits) same ((invert\$4 or inversion) with bits) same bus)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/29 05:17
S14	34	S13 and ((compar\$4 near3 bits) same ("MSB" or "LSB" or (least adj1 significant) or (most adj1 significant)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/29 05:30
S15	0	((compar\$4 near3 bits) same ((invert\$4 or inversion) with bits) same bus same marker)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/29 04:33
S16	0	S13 and (marker adj1 bit)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/29 04:33

					· · · · · · · · · · · · · · · · · · ·	
S17	2	((compar\$4 near3 bits) same ((invert\$4 or inversion) with bits) same marker)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/29 04:35
S18	0	S17 and (marker same (sepear\$4 near5 bits))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/29 04:36
S19		(marker same (sepear\$4 near5 bits))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/29 04:36
S20	161	(marker same (separat\$4 near5 bits))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/29 04:36
S21	89	(marker with (separat\$4 near5 bits))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/29 04:42
S22	1	(marker with (separat\$4 near5 bits)) same (invert\$5 or inversion)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/29 04:37
S23		(marker with (separat\$4 near5 bits)) same bus	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/29 04:37
S24	119	(marker with (separat\$4 near5 data)) same decod\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/29 04:42
S25	119	S24 not S12	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/29 04:42
S26	116	S24 not S21	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/29 04:45
S27	4	(marker adj1 bit) same (invert\$4 near3 bits) same bus	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/29 04:46
S28	27	(marker adj1 bit) same (group near3 bits)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/29 04:47

S29	13	(marker adj1 bit) near3 separat\$4	US-PGPUB;	OR	ON-	2007/05/29 04:49
			USPAT; EPO; JPO; DERWENT			·
S30	13	S29 and marker	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/29 05:04
S31	2	"6243779".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/29 05:07
S32	2	"20040153927".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/29 07:23
S33	245	((compar\$4 near3 bits) same ((invert\$4 or inversion) with bits) same switch\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/29 05:17
S34	30	((compar\$4 near3 bits) same ((invert\$4 or inversion) with bits) same switch\$4 same bus)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/29 05:17
S35	138	(compar\$4 near5 ("MSB" or "LSB" or (least adj1 significant) or (most adj1 significant))) same ((invert\$5 or inversion) near4 (bits or word or symbol))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/29 05:33
S36	64	S35 and bus	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/29 08:00
S37	0	"6243779".pn. and (computer or software)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/29 06:05
S38	1	"6243779".pn. and (computer or software or processor)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/29 06:06
S39	1	"6243779".pn. and (computer or software or processor or instructions)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/29 06:06
S40	27	(Hamming adj1 distance) with (group near3 bits)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/29 07:24

S41	141	((determin\$4 or calculat\$4) near3 (Hamming adj1 distance)) with bits	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/29 07:28
S42	141	S41 and (Hamming adj1 distance)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/29 07:28
S43	. 143	bits with (empty adj1 set)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/29 08:03
S44	5	(bits with (empty adj1 set)) same encod\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/29 08:01
S45	143	S43 and (empty adj1 set)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/29 08:04
S46	25	(encod\$4 same (uncod\$4 or nonencod\$4 or non-encod\$4 or ("not" adj1 encod\$4)) same bits) same (marker or boundary)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/10 10:36
S47	2	"6243779".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/10 09:54
S48	129	(invert\$4 same bits) same (marker or boundary) same (compar\$4 with (bits or data or word or signals))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/10 10:22
S49	19	(invert\$4 near4 bits) same (marker or boundary) same (compar\$4 with (bits or data or word or signals))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/10 10:23
S50	2	(signals with (encod\$4 near3 bits)) same (signals with ((uncod\$4 or nonencod\$4 or non-encod\$4 or ("not" adj1 encod\$4)) near3 bits)) same (marker or boundary)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/25 19:50
S51	59	(signals with (encod\$4 near3 bits)) same (signals with ((uncod\$4 or nonencod\$4 or non-encod\$4 or ("not" adj1 encod\$4)) near3 bits))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/10 10:27

		·				
S52	105	(encod\$4 same (uncod\$4 or nonencod\$4 or non-encod\$4 or ("not" adj1 encod\$4)) same bits) same (compar\$4 with (signals or bits))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/25 21:07
S53	4	(signals with (encod\$4 near3 bits)) same (signals with ((uncod\$4 or nonencod\$4 or non-encod\$4 or ("not" adj1 encod\$4)) near3 bits)) same (position near3 bit)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/25 19:55
S54	138	(compar\$4 near4 signals) same ((marker or boundary) near5 bits)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/25 20:19
S55	532	(compar\$4 near4 signals) same ((marker or boundary or identification) near5 bits)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/25 20:20
S56	4	S55 and ((marker or boundary or identification) same (encod\$4 or invert\$4) same (uncod\$4 or nonencod\$4 or non-encod\$4 or ("not" adj1 encod\$4) or uninvert\$4 or noninvert\$4 or un-invert\$4 or "not inverted") same bits)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON ·	2007/12/25 20:30
S57	128	((marker or boundary or identification) same (encod\$4 or invert\$4) same (uncod\$4 or nonencod\$4 or nonencod\$4 or ("not" adj1 encod\$4) or uninvert\$4 or noninvert\$4 or un-invert\$4 or "not inverted") same bits)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/26 14:03
S58	1	"6522695".pn. and compar\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/25 20:48
S59	19	("4007421" "4020463" "5084891" " 5651015" "5719632" "6269454" "65 04493" "6606728").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/25 21:07
S60	0	S59 and (encod\$4 same (uncod\$4 or nonencod\$4 or non-encod\$4 or ("not" adj1 encod\$4)) same bits) same (compar\$4 with (signals or bits))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/25 21:07

S61	8547	375/295.ccls. or 375/240.05.ccls. or 375/254.ccls. or 370/476.ccls. or 714/775.ccls. or 341/50.ccls. or 382/242.ccls. or 714/735.ccls. or 714/775.ccls. or 714/777.ccls. or 714/792.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/25 21:07
S62	19	S61 and (encod\$4 same (uncod\$4 or nonencod\$4 or non-encod\$4 or ("not" adj1 encod\$4)) same bits) same (compar\$4 with (signals or bits))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/25 21:31
S63	2	"20020110138".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/25 22:43
S64	1	"20020110138".pn. and (cable or line or wire)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/25 22:43

Page 7